

LAST: [09/50549 wip 1]

File View Edit Tools Window Help

Search List View Query Case

DBs: USPAT:US-PG:PLR:EPD:JPO:DERWENT:IBM:TD8

Default operator: OR

Highlight all 14 terms initially

(740) (barcode (bar adj code)) near20 success\$4

(120) (barcode (bar adj code)) near20 succession

(0) ((barcode (bar adj code)) near20 succession) near20 portable

(0) ((barcode (bar adj code)) near20 succession) near20 manual

(0) ((barcode (bar adj code)) near20 succession) near20 handheld

(82) ((barcode (bar adj code)) near20 succession) and 235/\$7.ccls.

(56) 4500776.URPN.

(124) bitwise adj compar\$5

(1) (bitwise adj compar\$5) and 235/\$7.ccls.

(0) (bitwise adj compar\$5) near20 scan\$4

(5) 5821519.URPN.

(46) ("3723710" | "3938089" | "3949363" | "4059224" | "4075461" | "4239151" | "4251798" | "42899...

(29839) plurality adj3 sensors

(67) (plurality adj3 sensors) and 235/462.\$\$.ccls.

(33804) plurality adj3 (sources led\$1)

(1218) (plurality adj3 sensors) and (plurality adj3 (sources led\$1))

(8) ((plurality adj3 sensors) and (plurality adj3 (sources led\$1))) and 235/462.\$\$.ccls.

(6) 5473148.URPN.

(2) ("4096992" | "4794239").PN.

(18006) line adj sensor\$1

(97) (line adj sensor\$1) and 235/462.\$\$.ccls.

(21086) parallel near5 scan\$4

(555) (parallel near5 scan\$4) and 235/462.\$\$.ccls.

(0) ((parallel near5 scan\$4) and 235/462.\$\$.ccls.) and ((plurality adj3 sensors) and (plura

(6) ((parallel near5 scan\$4) and 235/462.\$\$.ccls.) and (plurality adj3 sensors)

(51) multiple adj pass adj scan\$4

(4) (("6101266" or ("5473148")).PN.

(173) ("3496370" | "3782543" | "4023011" | "4147430" | "4159054" | "4163570" | "4170

(2) ("4074142").PN.

(21) 4074142.URPN.

(9) ("2599368" | "2855539" | "3432675" | "3492484" | "3604936" | "3676864" | "388790

(6) (("6101266" or ("5473148" or ("4906829")).PN.

(543) serial adj scanning

(11) (serial adj scanning) and 235/\$7.ccls.

(1) (serial adj scanning) near20 ((bar adj code) barcode)

(2) (serial adj scanning) same ((bar adj code) barcode)

(18) (serial adj scanning) and ((bar adj code) barcode)

Favorites

BRD Icon SAR Icon Image Text HTML

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
------	------	-------------	-----	------------	----------	------------------	--------

Ready

NUM

	Type	Hits	Search Text	DBs
1	BRS	228	235/462.25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	12	235/462.25.ccls. and (sensor\$1 near20 series)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	16	3777165.URPN.	USPAT
4	IS&R	8	((("5770847") or ("4818886") or ("4743773") or ("5663549"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	106	235/462.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	65	235/462.42.ccls. and sensors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	59	(235/462.42.ccls. and sensors) and sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	37	((235/462.42.ccls. and sensors) and sources) and series	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	1	palying adj card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	0	09/540617	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3360	plurality near20 sensors near20 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	1	235/462.25.ccls. and (plurality near20 sensors near20 sources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	3	235/462.42.ccls. and (plurality near20 sensors near20 sources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	203	235/462.41,462.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	7	(plurality near20 sensors near20 sources) and 235/462.41,462.42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	7463	kumar.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	38	kumar.in. and 235/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	144899	(scanner (barcode adj reader))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	324	((scanner (barcode adj reader))) and 235/462.45.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	398	235/462.45.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	86	((((scanner (barcode adj reader))) and 235/462.45.ccls.) and serial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	56	(((((scanner (barcode adj reader))) and 235/462.45.ccls.) and serial) and multiple	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	(((((scanner (barcode adj reader))) and 235/462.45.ccls.) and serial) and (multiple adj sensors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	0	235/462.45.ccls. and (multiple adj sensors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	3	235/462.45.ccls. and (plurality adj sensors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	40	3918028.URPN.	USPAT
27	BRS	1184	card\$1 near20 casino	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	110	(card\$1 near20 casino) near20 reader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	128	code\$1 near20 casino	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	10	(code\$1 near20 casino) near20 reader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	235	metlitsky.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	113	metlitsky.in. and 235/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	75	(metlitsky.in. and 235/\$7.ccls.) and sensors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	75	(metlitsky.in. and 235/\$7.ccls.) and "sensors"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
35	BRS	3	(metlitsky.in. and 235/\$7.ccls.) and "sensors"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	60	235/462.45.ccls. and "sensors"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	22	235/462.45.ccls. and "sensors" and sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	49	235/462.45.ccls. and (multiple near20 reading)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	109	235/462.45.ccls. and (multiple near20 (scanning reading))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	17	(235/462.45.ccls. and (multiple near20 (scanning reading))) and sensors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	16	3777165.URPN.	USPAT
42	BRS	1	3926292.URPN.	USPAT
43	BRS	3	4228938.URPN.	USPAT
44	BRS	0	235/462.45.ccls. and (bitwise near20 camparison)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	bitwise near20 camparison	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	8	jannersten.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	1040854.URPN.	USPAT
48	IS&R	2	("5294783").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	8230	multiple near20 reading	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	18	(multiple near20 reading) near20 (barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	16	5053612.URPN.	USPAT
52	BRS	21	(multiple near20 reading) same (barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	243	235/462.45.ccls. and (sensors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
54	BRS	220	(235/462.45.ccls. and (sensors)) and sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	60	235/462.45.ccls. and (sensors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	22	(235/462.45.ccls. and (sensors)) and sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	7	("3818444" "4003627" "4115808" "4587407" "4683371" "4734566" "4926409").PN.	USPAT
58	BRS	57	4734566.URPN.	USPAT
59	BRS	6854	(double twice duplicat\$4) near20 reading	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	13	((double twice duplicat\$4) near20 reading) near20 (barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	67	((double twice duplicat\$4) near20 reading) near20 series	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	976	ean	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	32	ean near20 reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	plurality near20 sensors near20 sources near20 simulataneously	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	60	(multiple adj pass\$4) near20 scanner	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	2	(235/462.45.ccls. and (sensors near20 multiple))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	4	(235/462.45.ccls. and (sources near20 multiple))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	25664	plurality near10 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	16	235/462.42.ccls. and (plurality near10 sources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	668	(plurality near10 sources) near20 series	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
71	BRS	0	235/462.42.ccls. and ((plurality near10 sources) near20 series)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	4	235/\$7.ccls. and ((plurality near10 sources) near20 series)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	0	(bitwise bit adj wise) same camparison	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	3689	bitwise (bit adj wise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	31	235/\$7.ccls. and (bitwise (bit adj wise))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	5994	235/\$7.ccls. and series	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	730	235/\$7.ccls. and (seri\$4 near20 reading)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	2034	235/\$7.ccls. and (seri\$4 near20 read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	21	235/462.45.ccls. and (seri\$4 near20 reading)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	66	235/462.45.ccls. and (seri\$4 near20 read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	66	235/462.25.ccls. and (seri\$4 near20 read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	21	235/462.25.ccls. and (seri\$4 near20 reading)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	6	4092525.URPN.	USPAT
84	BRS	8	("3341691" "3628031" "3643066" "3716699" "3723710" "3727202" "3763351" "3854035") .PN.	USPAT
85	BRS	35	3854035.URPN.	USPAT
86	BRS	13	3643066.URPN.	USPAT
87	BRS	97	235/\$7.ccls. and (seri\$4 near20 sensors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	930	235/\$7.ccls. and (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
89	BRS	92	235/462.25,462.41,462.42,462.45.ccls. and (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	54	(multiple near20 scan\$4) near20 (barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	251	modulat\$4 near20 (high adj frequency) near20 baseband	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	1	(modulat\$4 near20 (high adj frequency) near20 baseband) and 235/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	4	(modulat\$4 near20 (high adj frequency) near20 baseband) near20 circuitry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	4	(modulat\$4 near20 (high adj frequency) near20 baseband) near20 (light adj source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	4	(modulat\$4 near20 (high adj frequency) near20 baseband) same (light adj source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	4	(light adj source\$1) near20 (high adj frequency) near20 baseband	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	1120	(light adj source\$1) near20 (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	15	((light adj source\$1) near20 (high adj frequency)) and 235/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	1	(barcode\$1 (bar adj code\$1)) near20 baseband near20 high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	22070	baseband	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	49	baseband and 235/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	3	235/462.25,462.41,462.42,462.45.ccls. and baseband	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	3689	bitwise (bit adj wise)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	31	(bitwise (bit adj wise)) and 235/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB